Established in the market with passion, professionalism and innovative spirit





Developing and manufacturing special tools according to specific customer requirements is the specialty of WAWO, a company based in Oberriet (Switzerland). Founded in 1987 purely as a resharpening company, from the turn of the millennium the focus was on the manufacture of special solid carbide tools and resharpening was concentrated on the company's own products. The great potential and increasing complexity of these tools were quickly recognized; with NUM and the NUMROTO software, a reliable partner was found to turn even the most demanding tools into reality. The fact that both companies are only half an hour away from each other is further supported by a WAWO company motto: "short, clear communication" is the trump card.

The collaboration between WAWO and NUM began just the deadlines for quotations and implementation are over a decade ago. Today, WAWO uses NUMROTO software exclusively on several machines from various well- trend, WAWO creates a finished NUMROTO program and known manufacturers to manufacture tools of all kinds. a complete tool drawing with NUMROTO Draw during the The focus is clearly on the special solid carbide tools mentioned at the beginning, which are typically manufactured in small batches and used for milling, drilling, turning, reaming, thread cutting, etc. For individual customers, however, large batch orders are also fulfilled, in a 24/7 operation.

tomers of WAWO Werkzeuge GmbH, where the special solid carbide tools are manufactured, mainly come from the tool and machine construction sectors, the automotive industry, and the medical and vacuum technology sectors. However, special tools from Oberriet are also used in the watch industry. In the European automotive sector, many parts for steering, belt tensioning (as well as other safety components), powertrain and brakes are machined with tools from WAWO. One especially prestigious product line is impact tools, which WAWO grinds for producing gearboxes used in motor racing. In medicine, the tools are used in the manufacture of screws and plates as well as implants for joint replacement.

WAWO Produktion GmbH supplies customers who require medium to large batches of special tools and use them, for example, in the production of high-end furniture, car interiors and fashion articles. These are also manufactured exclusively on machines with NUM controls and According to Adrian Thurnherr, the reasons for the ex-NUMROTO software.

The extraordinarily high order rate of the offers created by WAWO is very impressive. A major reason for this high value is the way in which NUMROTO has been fully integrated into the quotation system. According to Adrian Thurnherr, Managing Director of WAWO Werkzeuge GmbH,

becoming ever shorter. In order to accommodate this guotation phase. After an enguiry, a customer receives a fully documented quotation with an exact calculation of the price. What initially sounds like additional work saves a lot of time in subsequent production. When the customer gives their "OK", WAWO can start production immediately. Adrian Thurnherr: "Efficiency can be increased optimally for both sides through clear WAWO is therefore divided into two divisions. The cus- communication in advance. NUMROTO Draw helps us to check feasibility right from the quotation phase and to identify potential problems at an early stage. This ensures that there are no unpleasant surprises later and the customer gets exactly what they need - including adherence to delivery dates."

> But WAWO offers even more: the small, committed team in the St. Gallen Rhine Valley has a lot of know-how and also dares to tackle very challenging projects. Often the customer only specifies one end product. WAWO analyses this in terms of geometry, material and machining technology, among other things. The required tool is then designed and precisely documented with a keen eye for geometry details such as chip grooves or protective chamfers. The development and production of special tools is thus carried out completely in-house as a service for the end customer.

> clusive use of NUMROTO are the flexibility of the system and the extensive functions. "NUMROTO offers companies a broad basis for letting their own creativity run wild. We are faced with new tasks every day; NUMROTO is an optimal tool for this and has never confronted us with unsolvable problems within the geometric possibilities." Daniel Schilling, Application Engineer at WAWO Werkzeuge GmbH, adds: "I like the logical, comprehensible structure. NUMROTO is a reliable tool that makes everything possible. If someone knows NUMROTO exactly, they can make any tool. Once

> > to stay with it."

you know and appreciate NUMROTO, you want





Comprehensive tool documentation with NUMROTO Draw, as already created in the quotation phase.

WAWO goes into every detail with NUMROTO. While, for example, chip grooves on sintered inserts are well known, WAWO went one step further in 2018 and developed, among other things, ground chip grooves on form inserts, turning steels and step drills, which until then were little known. This is another example of WAWO's innovation and creativity, supported by NUMROTO.

The development of a special logistics box for the transport and storage of tools also shows that WAWO goes to work with a lot of passion. These are thus not only protected from damage, but can also be optimally stored. "Tools are a high-quality commodity", Adrian Thurnherr adds. A further, creative solution was found for the use and handling of the products, leading to detail and process optimization, which is important in everyday life.





# **numroto** flash

Issue 22, March 2019









## **Exhibitions 2019** NUMROTO is there

With NUMROTO, NUM will once again take part in various trade fairs around the world this year. We will present the latest NUMROTO innovations and are ready for constructive discussions. Visit us at the above-mentioned trade fairs. Our team is looking forward to meeting you.

Go to our website **www.num.com** to find our respective stand numbers before the start of the trade fairs.

And of course, there will also be many machine manufacturers on site with machines that are equipped with NUM CNC systems and NUMROTO.

## **Optimized user interfaces** and clearer programming

One year ago, we presented the major prove the user-friendliness, flexibility new version 4.0 of NUMROTO software, and efficiency of the NUMROTO software which is enjoying great popularity. Of from year to year, short communication course, development must never stag- channels with you are essential. nate, which is why our specialists have lease 4.1.0a and are very diverse. Some present you with news and exchange cesses, are highlighted in this brochure. tember.

even, on occasion. WAWO's own manu- all news from NUM. facturing requirements! With a keen eye for detail, creative solutions find their We wish you exciting reading with this way into WAWO products. NUMROTO is brochure. used from the beginning (feasibility check and preparation of quotation) to the end (production).

"Short, clear communication" is not only a WAWO corporate motto, but is also its most important trump card. This motto is also a perfect match for the way NUM works and the way we respond to the wishes of NUMROTO machine manufacturers and users. To develop and im-

since made further optimizations. The It is very important to us to be able to results have been incorporated into Re- meet you at trade fairs - in order to of the most exciting developments, such ideas with you. We look forward to as input dialogs with a vertical naviga- welcoming you at our stand at Grinding tion structure, which increase clarity Technology in Japan in March, or later and simplify and accelerate work pro- in the year at EMO in Hanover in Sep-

This time we visited WAWO Werkzeuge If you do not have the opportunity to GmbH in Oberriet (Switzerland) for our visit us at one of these two trade fairs, 'Customer Special'. This company manu- you will find details of our participation factures special solid carbide tools to at other 2019 trade fairs on our webmeet specific criteria – including cus- site at www.num.com. We also use the tomers' challenging requirements and website to regularly inform you about





From right to left: Mr. Adrian Thurnherr, Managing Director of WAWO Werkzeuge GmbH, Mr. Daniel Schilling, Application Technician at WAWO Werkzeuge GmbH, Mr. Jörg Federer, Head of NUMROTO Application Tech-

www.num.com



www.numroto.com

nology at NUM AG.

### **Optimized User Interface**

### Optimized User Interface Release Notes 4.1.0a

#### Optimized user interface enables faster and clearer programming

Input dialogs with vertical navigation structure arranged horizontally at the top of the dialog.

Cylinder geometry		Teeth	Elank	Ì	Info	Attachmen
Eutting edge length:		33.4000 mm				
Corner radius:		5.0000 mm		Re	ar	
Cylinder diameter	~	10.9500 mm	Ø;	16.	0056 mm	
Flute depth	~	2.0000 mm	[	3.	0000 mm	
Taper angle:		5.0000				
Core taper angle:		3.0230 *				
Dish angle:		2.0000 *				

Geometry dialog with horizontal tabs

This very common solution becomes confusing in dialogs with many tabs. Furthermore, it is not possible to switch directly to other main dialogs. To make this clearer and faster, NUMROTO 4.1 uses navigation with vertical tabs. As you can see below, this navigation includes not only the current subdialogs, but also the other main dialogs. For example, you can now switch directly from a subdialog of the tool geometry to a subdialog for probing or clamping with a single mouse click. Previously, several mouse clicks were necessary for this



Geometry dialog with vertical tabs

All dialogs, including those for the grinding operations, are Up to NUMROTO version 4.0, subdialogs were called via tabs, now always the same size, and their position on the screen does not change (no more "jumping"). This makes navigation more consistent and user-friendly. The preview graphics now appear on the right-hand side of the dialog.



Navigation within an operation is also more convenient. With just one mouse click, you can switch from the flute dialog to the grinding position or cooling valve dialog, for example. This direct switch to all main dialogs is also possible from 2D and/or 3D simulation. Those who are used to working with shortcuts can continue to do so: the keyboard shortcuts appear in an easily readable font after pressing the Alt key.

#### Uniform machining sequence

As of version 4.1, there is no need to switch between the different views for the sequence of operations. The operations for the 3D simulation can be activated in a separate column (1).

The [F7] key is now assigned to the 3D simulation (2) and is always visible. Consequently, the 3D simulation or the production [F10] can be started with a mouse click (without switching).

A new "revolution speed column" (3) has been added by popular request. This column shows the RPM and the cutting speed of the grinding wheel.

The keys in column (4) can be used to directly select another (or a After a short period of getting used to the new layout, you will quickly new) grinding wheel.



Machining sequence

#### **Release Notes 4.1.0a**

#### General

• The calculated grinding time and the tool weight can be stored under Info.

Name: Drawing number;	STUFENBOHRER			
Revision:				
State:	Released	Released		
Category:	DEMO	DEMO		
Grinding time:	4m45s	edit		
Weight:	88.50g	edit		

- New option for output of grinding status and workpiece information for industry 4.0 applications.
- · Collets can now also be assigned to several machines, so that these can then only be selected on these machines.
- A separate lead can now be specified for the cooling hole. This is then taken into account in the 3D simulation.
- In the settings, the corresponding time requirement can now be defined for measuring in process. This is then taken into account in the time calculation.
- A correction of the grinding time can now be defined for each machining step.
- · The polygon overlay can now also be programmed as a table, either per cam or for a complete revolution.

### Release Notes 4.1.0a



All significant extensions and improvements can be found at: www.numroto.com

see its advantages. It makes it possible to work more efficiently and is therefore a benefit for NUMROTO users.

#### Milling cutters

- In the case of the manual tip reliefs, tooth groups can now also be used.
- In the case of Flute-X, a radius-shaped flute wash-out can now be programmed at the end of the flute.
- In the case of the gash-out-X operation on a ball nose end-mill, the gash-out angle can be defined for each tooth group.
- The widening of the gash-out-X has been extended to include a rotation along the contact line.

#### Drill

- New: "Wheel radius" or "Wheel axis" can now also be used for the infeed direction of a DXF forming step relief.
- Improved surface quality in the flute wash-out.

#### Form cutters

Punch-like tools can now be ground with 2 axes as an option.



#### NR-Draw

- Rectangular and circular shapes drawn by the user can now also be cropped.
- The position of the drawing header for new drawings can now be specified in the settings.
- Optionally, an empty page can be inserted automatically from the beginning of a new drawing. • NR-Draw can now also be used for Burrs.
- When printing, it is now possible to select in more detail which pages should be printed.
- For the tolerances, you can choose between the display type: "Upper and lower" or "Symmetrical".
- Dimensions can be hidden individually via Ctrl + double-click. • If the minimum number of decimal places is set to 0, only decimal
- places are displayed if there are actually decimal places. • It is now possible to insert user-defined images into user-defined
- tables.
- A watermark can now be inserted into the drawing to prevent unauthorized copying.

#### Probing

· The clamping length can now be measured several times, with the blank rotated in between. This allows the smallest measured clamping length to be used for grinding.

Increments CNC 3D Park positions Probing-General	Monitor / consider lateral runout No. of measuring points:           Tolerance:         0.2000 nm           Tolerance:         0.2000 nm	Use smallest measured damping length
Probing-Position Probing-Measuring Probing-Runout/Lateral ru	n.	

• New measuring function "Monitoring axial run-out" when probing the clamping length.

#### NR-Control

- · In addition to the remaining grinding time, the calculated absolute end time for the current job list is now also displayed.
- When inserting a production step as a copy of a template tool, you can redefine how many copies are to be created and inserted.

#### **3D Simulation**

• It is now possible to use a switch in the settings to specify that all tools should always be checked for 3D collisions, regardless of what is effectively entered in the workpiece.

Besic data					
Clamping	(Always execute collision check, regardless of second s	Automatic 3D collision check before each tool (Always execute collision check, regardless of settings for the tool)			
Pass over					
Increments					
CNC	Automatic 3D collision check:	Before making the CNC file			
30	3D online simulation data:	Do not create			

· Special display mode for the workpiece with a metallic shine.

• A new review mode enables subsequent simulation in real time (forwards or backwards) from a selectable point in the grinding nroces



When calculating the grinding time, the acceleration time of the axes is now taken into account (approximate value). ➡ 5m37.9s 🔺 88.811 gr 8884 MB



• New measuring line to determine the clearance in longitudinal direction.



- The display of the measurement results is easier to read because a transparent background is used.
- Instead of the inverse time, the programmed feed rate can now be displayed.
- Improved calculation of the QW' value.

#### NCI

- The input line for MDI commands has been moved to the left area so that it is also visible when a function key table is displayed.
- The calculated grinding time is now also displayed when the NCI
- restarts (if a grinding program is already being processed).

#### Dressing wheels

- Axial plunging during wheel sticking instead of radial plunging. New management of the dressing units.
- Dressing units can now also be exported and imported.
- If the dressing process of a wheel is divided into several areas, the cycles can now be executed alternately per area one after the other. So first cycle 1 of all ranges, then cycle 2 of all ranges, then cycle 3 of all ranges, etc.
- X-Dressing: New dressing method for pointed and radius wheels where the grinding wheel axis is always perpendicular to the dressing roll axis. Training may be required for the application.